SAFETY DATA SHEET



1. Identification

Product identifier	WIL-GRO® Five Iron
Other means of identification	None.
Recommended use	Ag Product - Plant Nutrition
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.
Manufacturer/Importer/Supplier	r/Distributor information

Manufacturer		
Company name	Wilbur-Ellis Company LLC	
Address	16300 Christensen Rd. Ste 135	
	Tukwila, WA 98188	
	United States	
Telephone	Branded Products Information	(800) 500-1698
E-mail	SDS@wilburellis.com	
Emergency phone number	Chemtrec - Domestic	(800) 424-9300
	Chemtrec - International	+1 703-741-5970

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 1A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	May cause cancer.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	40 - < 50
Ammonium Sulfate		7783-20-2	20 - < 30
Muriate of Potash		7447-40-7	10 - < 20
Ammonium Phosphate		7722-76-1	5 - < 10

Chemical name	Common name and synonyms	CAS number	%
Crystalline Silica (Quartz)		14808-60-7	< 0.2
Other components below reportable levels			10 - < 20
*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade se		secret.	
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	ns develop or persist.	

Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.
Dusts may irritate the respiratory tract, skin and eyes.
Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Do not use water jet as an extinguisher, as this will spread the fire.
During fire, gases hazardous to health may be formed.
Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Use water spray to cool unopened containers.

No unusual fire or explosion hazards noted.

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Specific methods

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for	Stop the flow of material, if this is without risk.
containment and cleaning up	Large Spills: Wet down with water and dike for later disposal. Collect dust using a vacuum cleaner equipped with HEPA filter. Avoid the generation of dusts during clean-up. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: For waste disposal, see section 13 of the SDS. Put material in suitable, covered, labeled containers.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide appropriate exhaust ventilation at places where dust is formed. Minimize dust generation and accumulation. Do not breathe dust. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid prolonged exposure. Should be handled in closed systems, if possible.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CF Components	R 1910.1000) Type	Value	Form
Crystalline Silica (Quartz) (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limi			
Components	Туре	Value	Form
Crystalline Silica (Quartz) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide t	o Chemical Hazards		
Components	Туре	Value	Form
Crystalline Silica (Quartz) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
	ntal Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
ological limit values	No biological exposure limits noted for	the ingredient(s).	
posure guidelines	Occupational exposure to nuisance du should be monitored and controlled.	st (total and respirable) and re	espirable crystalline silica
propriate engineering ntrols	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis engineering measures are not sufficier Occupational Exposure Limit (OEL), su ground, cut, or used in any operation v ventilation to keep exposures below th	plicable, use process enclosu in airborne levels below recon hed, maintain airborne levels nt to maintain concentrations of uitable respiratory protection n which may generate dusts, use	res, local exhaust ventilatior mmended exposure limits. If to an acceptable level. If of dust particulates below the nust be worn. If material is a appropriate local exhaust
lividual protection measures Eye/face protection	, such as personal protective equipme		and mist filtor
Skin protection Hand protection	Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter. Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.		
Other	Wear suitable protective clothing. Use	of an impervious apron is rec	ommended.
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.		
Thermal hazards	Wear appropriate thermal protective cl	othing, when necessary.	
eneral hygiene nsiderations	Observe any medical surveillance requires, such as washing after hand smoking. Routinely wash work clothin	lling the material and before e	ating, drinking, and/or

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Powder.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.

Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp Flammability limit - lower	Not available.
(%)	
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.
11. Toxicological informat	ion
Information on likely routes of a	

Information on likely routes of exposure

Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Ammonium Phosphate (C	AS 7722-76-1)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg, 24 Hours

Components	Species	Test Results
	Rat	> 5000 mg/kg, 24 Hours
Oral		
LD50	Rat	3260 mg/kg
Ammonium Sulfate (CAS 7783-20	-2)	
<u>Acute</u>		
Dermal		
LD50	Mouse	> 2000 mg/kg
	Rat	> 2000 mg/kg
Oral		
LD50	Mouse	> 2000 mg/kg
	Rat	4250 mg/kg
Muriate of Potash (CAS 7447-40-7	7)	
<u>Acute</u>		
Oral		
LD50	Rat	3020 mg/kg
Urea (CAS 57-13-6)		
Acute		
Oral		
LD50	Mouse	13000 mg/kg
	Rat	15000 mg/kg
* Estimatos for product may b	e based on additional component data not	shown
Skin corrosion/irritation	Prolonged skin contact may cause temp	
Serious eye damage/eye	Direct contact with eyes may cause temp	-
irritation		
Respiratory or skin sensitization	n	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Crystalline Silica (Quartz		ogenic to humans.
Not regulated.		
US. National Toxicology Pro	ogram (NTP) Report on Carcinogens	
Crystalline Silica (Quartz		o Be Human Carcinogen.
Reproductive toxicity	This product is not expected to cause rep	productive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	

Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings, if applicable, even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

All components are listed on or exempted from the U.S. EPA TSCA Inventory List. This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard	categories
--------	------------

Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
AMMONIA (INCLUDES ANHYDROUS AQUEOUS AMMONIA FROM WATER AMMONIUM SALTS AND OTHER SOU TOTAL AQUEOUS AMMONIA IS REPO UNDER THIS LISTING)	DISSOCIABLE JRCES; 10% OF DRTABLE	20 - < 30	
AMMONIA (INCLUDES ANHYDROUS A AQUEOUS AMMONIA FROM WATER AMMONIUM SALTS AND OTHER SOU TOTAL AQUEOUS AMMONIA IS REPO UNDER THIS LISTING)	DISSOCIABLE JRCES; 10% OF	5 - < 10	
Other federal regulations			
Clean Air Act (CAA) Section 112 Hazardo	us Air Pollutants (HAPs) List		
Not regulated. Clean Air Act (CAA) Section 112(r) Accide	ental Release Prevention (40 C	CFR 68.130)	
Not regulated.			
Safe Drinking Water Act Not regulate (SDWA)	d.		
US state regulations			
US. California. Candidate Chemicals List (a))	. Safer Consumer Products Re	egulations (Cal. Code Regs, tit. 22, 69502.3, sub	od.
Crystalline Silica (Quartz) (CAS 14808-	60-7)		
US. California Proposition 65 WARNING: This product contains a che	emical known to the State of Cali	ifornia to cause cancer.	
US - California Proposition 65 - CRT:	Listed date/Carcinogenic sub	ostance	
Crystalling Siling (Ouartz) (CAS 14	909 60 7) Listad: Ostab	por 1 1099	

Crystalline Silica (Quartz) (CAS 14808-60-7) Listed: October 1, 1988

16. Other information, including date of preparation or last revision

NFPA ratings	Health: 1 Flammability: 0 Instability: 0
Version #	02
Revision date	09-26-2017
Issue date	02-17-2017

NFPA ratings



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.